

Message

From: Robinson, Valois [Robinson.Valois@epa.gov]
Sent: 7/29/2019 8:39:29 PM
To: Sierra-Lopez, Omar [Sierra-Lopez.Omar@epa.gov]; Minter, Douglas [Minter.Douglas@epa.gov]
Subject: RE: PN for DB Permits - the PN for last time

Thanks very much! I didn't even know the new location of the library!

Valois

Valois Robinson
U.S. EPA Region 8
MailCode: 8WD-SDU
1595 Wynkoop Street
Denver, CO 80202-1129
Phone: (303) 312-6276
Fax: (303) 312-6741
Email: robinson.valois@epa.gov

From: Sierra-Lopez, Omar
Sent: Monday, July 29, 2019 12:57 PM
To: Minter, Douglas <Minter.Douglas@epa.gov>; Robinson, Valois <Robinson.Valois@epa.gov>
Subject: Re: PN for DB Permits - the PN for last time

Yes the library can house the DB administrative record.

Here is the library information:

The Region 8 Technical Library, located on the 3rd floor, is open Monday - Thursday from 8 a.m. to 4 p.m. (closed Fridays).

Regards,

Omar Sierra-Lopez
Physical Scientist (Environmental)

U. S. Environmental Protection Agency
Water Division
Underground Injection Control
Mail Code: 8WD-SDU
1595 Wynkoop Street

Denver, Colorado 80202-1129
Phone 303.312.7045
Fax 303.312.7084
Sierra-Lopez.Omar@epa.gov

EPA Region 8 website:

<http://www.epa.gov/uic/underground-injection-control-epa-region-8-co-mt-nd-sd-ut-and-wy>

From: Minter, Douglas <Minter.Douglas@epa.gov>

Sent: Monday, July 29, 2019 11:59:38 AM

To: Robinson, Valois <Robinson.Valois@epa.gov>; Sierra-Lopez, Omar <Sierra-Lopez.Omar@epa.gov>

Subject: RE: PN for DB Permits - the PN for last time

Thanks Valois.

Omar: could you check on whether the library can house our administrative record? If so, we will need to make sure their hours for public access and review are included in the PN.

Douglas

From: Robinson, Valois

Sent: Monday, July 29, 2019 11:57 AM

To: Minter, Douglas <Minter.Douglas@epa.gov>; Sierra-Lopez, Omar <Sierra-Lopez.Omar@epa.gov>

Subject: FW: PN for DB Permits - the PN for last time

Here is the latest version of PN from last time.

We still need to fill in the dates for

1. the end of the comment period
2. the public hearing and
3. the actual permit issuance date.

We are having only one public hearing this time on a Saturday, either October 5, 12 or 19 in Hot Springs. Do you know if our library is still available to have a hard copy of the documents there for public review? We should update that sentence to have it reflect our current situation.

Thanks!

Valois

Valois Robinson
U.S. EPA Region 8
MailCode: 8WD-SDU
1595 Wynkoop Street
Denver, CO 80202-1129
Phone: (303) 312-6276
Fax: (303) 312-6741
Email: robinson.valois@epa.gov

From: Robinson, Valois
Sent: Friday, July 26, 2019 6:53 AM
To: Sierra-Lopez, Omar <Sierra-Lopez.Omar@epa.gov>
Subject: RE: PN for DB Permits - the PN for last time

Hi Omar,

In case you do not have it, I have attached the PN from our last public comment period. We still need to fill in the dates for

1. the end of the comment period
2. the public hearing and
3. the actual issuance date.

We are having only one public hearing this time on a Saturday, either October 5, 12 or 19 in Hot Springs. Do you know if our library is still available to have a hard copy of the documents there for public review? Thanks!

Valois

Valois Robinson
U.S. EPA Region 8
MailCode: 8WD-SDU
1595 Wynkoop Street
Denver, CO 80202-1129
Phone: (303) 312-6276
Fax: (303) 312-6741
Email: robinson.valois@epa.gov

From: Minter, Douglas
Sent: Wednesday, July 24, 2019 2:26 PM
To: Sierra-Lopez, Omar <Sierra-Lopez.Omar@epa.gov>
Cc: Robinson, Valois <Robinson.Valois@epa.gov>; McClain-Vanderpool, Lisa <Mcclain-Vanderpool.Lisa@epa.gov>; Lucero, Adele <Lucero.Adele@epa.gov>
Subject: PN for DB Permits

Hi Omar: As we discussed, please take the lead on the PR for PN publication through Adele with Valois's support. She has the list of local media sources for publication and will be able to provide you a draft PN (with some specifics still TBD) to get cost estimates. We will need to have the paperwork to Adele by 8/5 with the final details on the hearing date and location and comment period (45+ days).

Thanks!

Douglas Minter, MPH
UIC Section Chief
1595 Wynkoop Street
USEPA Region 8

(303) 312 6079

“Practicing Public Servant Leadership”